

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	6585199	(chang\$4 or modif\$5 or custom\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 10:36
S3	3	plurality with S1 with parameter\$4 and property near sheet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 10:40
S4	24	plurality with S1 with parameter\$4 and property near3 structure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 10:43
S5	0	plurality with S1 with parameter\$4 and property near3 structure and ("705". clas. or "707".clas. or "715".clas. or "717".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 10:43
S6	107654	("705".clas. or "707".clas. or "715". clas. or "717".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:07
S7	1	plurality with S1 with parameter\$4 and property with structure and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 10:55
S8	5	non-modifiable near (parameter or attribute or property) and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 11:05
S9	10	non-modifiable near3 (parameter or attribute or property) and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 11:12

EAST Search History

S10	4	default adj (parameter or attribute or property or setting) and ("not" adj (modifiable or changeable or customizable) or non-modifiable) near3 (parameter or attribute or property or setting) and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 14:00
S11	1	default adj (parameter or attribute or property or setting) with ("not" adj (modifiable or changeable or customizable) or non-modifiable) and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 11:17
S12	1	default near3 (parameter or attribute or property or setting) with ("not" adj (modifiable or changeable or customizable) or non-modifiable) and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 11:17
S13	1	default with (parameter or attribute or property or setting) with ("not" adj (modifiable or changeable or customizable) or non-modifiable) and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 11:17
S14	2	default with (parameter or attribute or property or setting) same ("not" adj (modifiable or changeable or customizable) or non-modifiable) and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/14 11:18
S15	3	default with (parameter or attribute or property or setting) same ("not" adj (modifiable or changeable or customizable) or non-modifiable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 10:12
S16	241	cluster\$2 adj2 (network or system) with (parameter or attribute or property or setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 10:46
S17	2	cluster\$2 adj2 (network or system) and (parameter or attribute or property or setting) same (modifiable or changeable or customizable) same ("not" adj (modifiable or changeable or customizable) or non-modifiable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 10:47

EAST Search History

S18	26	cluster\$2 adj2 (network or system) and (parameter or attribute or property or setting) same (modifiable or changeable or customizable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 14:52
S21	2	cluster\$2 adj2 (network or system) and (parameter or attribute or property or setting) same (modifiable or changeable or customizable) and ((parameter or attribute or property or setting) same ("not" adj (modifiable or changeable or customizable) or unmodifiable or unchangeable or uncustomizable or non-modifiable or non-changeable or non-customizable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 11:01
S22	2	cluster\$2 adj2 (network or system) and ((parameter or attribute or property or setting) same ("not" adj (modifiable or changeable or customizable) or unmodifiable or unchangeable or uncustomizable or non-modifiable or non-changeable or non-customizable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 11:01
S23	23	cluster\$2 adj2 (network or system) and (parameter or attribute or property or setting) same (modifiable or changeable or customizable) and (interface or user-interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 11:02
S26	11	cluster\$2 adj2 (network or system) same management adj5 database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 15:35
S27	1	cluster\$2 adj2 (network or system) with management adj2 database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 15:35
S28	38	cluster\$2 adj2 (network or system) same (management or configuration) adj5 (database or db or dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 15:35

EAST Search History

S29	38	cluster\$2 adj2 (network or system) same (management or configuration) adj5 (database or db or dbms)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 15:36
S30	14	cluster\$2 adj2 (network or system) same (management or configuration) adj5 (database or db or dbms) and (user adj interface or "user-interface" or gui or "graphical-user-interface")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 15:36
S31	14	cluster\$2 adj2 (network or system) same (management or configuration) adj5 (database or db or dbms) and (user adj interface or "user-interface")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:02
S32	199	cluster\$2 adj2 (network or system) same (propert\$3 or configur\$4) and (user adj interface or "user-interface")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:21
S33	22	cluster\$2 adj2 (network or system) same (propert\$3 or configur\$4) same (user adj interface or "user-interface")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:07
S34	145574	("705".clas. or "707".clas. or "709". clas. "715".clas. or "717".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:07
S35	9	cluster\$2 adj2 (network or system) same (propert\$3 or configur\$4) same (user adj interface or "user-interface") and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:10
S36	14	cluster\$2 adj2 (network or system) same (propert\$3 or configur\$4 or parameter or setting) same (user adj interface or "user-interface") and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:21

EAST Search History

S37	192	cluster\$2 adj2 (network or system) and (propt\$3 or configur\$4 or parameter or setting) same (user adj interface or "user-interface") and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:21
S38	24	cluster\$2 adj2 (network or system) and (propt\$3 or configur\$4 or parameter or setting) same (user adj interface or "user-interface") same default	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:26
S39	4	cluster\$2 adj2 (network or system) and (propt\$3 or configur\$4 or parameter or setting) same (user adj interface or "user-interface") same default same (valid or allowed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:36
S40	20	cluster\$2 adj2 (network or system) and (propt\$3 or configur\$4 or parameter or setting) same default same (valid or allowed) and (user adj interface or "user-interface")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:33
S41	3	cluster\$2 adj2 (network or system) and (propt\$3 or configur\$4 or parameter or setting) same (user adj interface or "user-interface") same default same (valid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 11:32
S42	78	(propt\$3 or configur\$4 or parameter or setting) same (user adj interface or "user-interface") same default same (valid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:36
S43	12	(user adj interface or "user-interface") same (propt\$3 or configur\$4 or parameter or setting) with default with (valid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:38
S44	16	(user adj interface or "user-interface") same (propt\$3 or configur\$4 or parameter or setting) with default with \$2valid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:38

EAST Search History

S45	6	(user adj interface or "user-interface") same (propert\$3 or configur\$4 or parameter or setting) with default with invalid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:39
S46	6	(user adj interface or "user-interface") same (propert\$3 or configur\$4 or parameter or setting) with default with (invalid or "not" adj valid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 15:39
S47	119	cluster\$2 adj2 (network or system) same (propert\$3 or configur\$4 or parameter or setting) same component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 11:33
S48	325	cluster\$2 adj2 (network or system) same (propert\$3 or configur\$4 or parameter or setting) same (component or program or service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 11:34
S49	145751	("705".clas. or "707".clas. or "709".clas. "715".clas. or "717".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 11:34
S50	152	cluster\$2 adj2 (network or system) same (propert\$3 or configur\$4 or parameter or setting) same (component or program or service) and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 11:34
S51	59	cluster\$2 adj2 (network or system) with (propert\$3 or configur\$4 or parameter or setting) with (component or program or service) and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 11:38
S52	1	(cluster\$2 adj2 (network or system) with (propert\$3 or configur\$4 or parameter or setting) with (component or program or service)) same (user adj interface or "user-interface") and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 11:36

EAST Search History

S53	3	(cluster\$2 adj2 (network or system) same (property\$3 or configuration\$4 or parameter or setting) same (component)) same (user adj interface or "user-interface") and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 11:37
S54	18	cluster\$2 adj2 (network or system) with (property\$3 or configuration\$4 or parameter or setting) with (component) and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 11:39
S55	3	cluster\$2 adj2 (network or system) with (property\$3 or parameter or setting) with (component) and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 11:40
S56	0	cluster\$2 adj4 (network or system) with (property\$3 or parameter or setting) with (component) and S49 not S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 11:41
S57	18	cluster\$2 with (network or system) with (property\$3 or parameter or setting) with (component) and S49 not S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 11:41
S59	3288	(component or system) with (configuration) with (user adj interface or "user-interface")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 14:01
S60	800	component with configuration with (user adj interface or "user-interface")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 14:01
S61	146225	("705".clas. or "707".clas. or "709".clas. "715".clas. or "717".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 14:01

EAST Search History

S62	353	component with configuration with (user adj interface or "user-interface") and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 14:02
S63	77	component adj3 configuration with (user adj interface or "user-interface") and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 14:02
S64	51	component adj2 configuration with (user adj interface or "user-interface") and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 14:20
S65	2	cluster same component adj2 configuration with (user adj interface or "user-interface") and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 14:07
S67	0	component adj5 configuration with (user adj interface or "user-interface") same ("not valid" or invalid) and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 14:21
S68	1	component adj5 configuration with (user adj interface or "user-interface") same rows and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 14:22
S69	7	component adj5 configuration with (user adj interface or "user-interface") and component same rows and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 14:24
S70	7	component adj5 configuration with (user adj interface or "user-interface") and component same row and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 14:24

EAST Search History

S71	20	component with configuration with (user adj interface or "user-interface") and component same row and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 14:30
S72	40	component with configuration with (user adj interface or "user-interface") and component same (\$3valid) and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 14:36
S73	8	component with configuration with (user adj interface or "user-interface") and (plural\$3 or numerous or multiple or many) adj2 (rows) and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 14:38
S74	0	component with configuration with (user adj interface or "user-interface") and ((plural\$3 or numerous or multiple or many) adj2 (rows)) with (edit or change or modify) and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 14:38
S75	1	configuration with (user adj interface or "user-interface") and ((plural\$3 or numerous or multiple or many) adj2 (rows)) with (edit or change or modify) and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 14:38